| - | Туре | L# | Hits | Search Text | DBs | Time Stamp | Comments Error | Definiti Er | | | | |
|----|---------|------|------------|-------------------------|---------------|------------|----------------|-------------|---|------|---|------|
| Į. | ISER | | 12 | (("5521824") or | US-PG | 2005/05/3 | | | | | | |
| | | | 1 | ("0490401")).PN. | PUB; | 0 21:08 | · · | 1 (| | | | |
| |] | | 1 | • | USPAT | | | ' } | | | | |
| | | | | i | | | | | | | | |
| | 1 | | | | : | | | : 1 | | | | |
| 2 | IS6R | L2 | ,1 | ("4090401").PN. | US-PG | 2005/05/3 | | | | | | |
| | | | 1 | | PUB; | 0 18:43 | | , 1 | | | | |
| | | ! | 1 | i · | USPAT | l | | ! { | | | | |
| | | | ı | ļ | ı | | ١ . | 1 (| | | | |
| | | 1 | 1 | 1 | l | | | ! } | | | | |
| 3 | BRS | T3 - | 662 | combustion near1 engine | US-PG | 2005/05/3 | | | | | | |
| | | | 1 | | | 0 21:04 | . | | | | | |
| | | | | | USPAT | | 1 | | | | | |
| | | | 1 | | | | | : 1 | | | | |
| | | , | 1 | 1 | ! | | | ! | | | | |
| 4 | BRS | L4 | 13 . | 3 and dynamometer and | US-PG | 2005/05/3 | | | | | | |
| | | 1 | ı | | | 0 18:54 |] | 1 { | | | | |
| | | | ı | set nearl point | USPAT | | | 1 | | | | |
| | 1 | 1 | 1 | | 1 | ı I | | ' } | | | | |
| | | 1 | • | : | | | · : | | | | | |
| 5 | BRS | L5 | 21 | 3 and pedal near1 | US-PG | 2005/05/3 | | | | | | |
| | | | | position | | 0 21:05 | i I | i I | | | | |
| | | | 1 | | USPAT | | | 1 | | | | |
| | | 1 | E | 1 | | | | | | | | |
| | | | 1 | 1 | 1 | |] ! | , 1 | | | | |
| 6 | BRS | L6 | γ <u>1</u> | 3 and (pedal near1 | US-PG | 2005/05/3 | | | | | | |
| | | 1 | 1 | valuator near1 | | 0 21:06 | | | | | | |
| | 1 | 1 | | position) | USPAT | | | | | | | |
| | | | | | | i I | | | | | | |
| | | | 1 | | | | ľ | ! | | | | |
| 7 | BRS | ,L7 | ,0 | 1 and pedal | | 2005/05/3 | | | | | | |
| | | Ì | ı | | PUB; USPAT | 0 21:09 | ļ | 1 | | | | |
| | | į | 1 | | USPAI | | | ! ! | | | | |
| | | ì | • | i | 1 | | ' | ĺ | | | | |
| | | 1 | | | ! | · | <u> </u> | | | | | |
| 8 | ISER | L8 | 1 | ("6373144").PN. | | 2005/05/3 | | | | | | |
| | | : | | \$ | PUB; USPAT | 0 21:09 | i | | • | | | |
| | | | 1 | | I | 1 | | ; } | | | | |
| | | 1 | 1 | Ī | 1 | | 1 | | | | | |
| |] | | ! | | .l | | | [| | | | |
| 9 | BRS | L9 | 1 | 8 and pedal near1 | US-PG | 2005/05/3 | | | | | ě | |
| | | 2 | İ | position | PUB; USPAT | 0 21:09 | | 1 | | | | |
| , | | 1 | 1 | 1 | JOSEMI | | | 1 [| | | | |
| | | | | | ! | 1 | | | | | | |
| | <u></u> | · · | | , | | | <u>ii</u> | | | | | • |
| - | | | | | | | | | | | | |
| | | | | | | • | | | | | | |
| | | | | | | | | | | | | |

| 7 | U | ij, | Document ID | Issue Date | Pages | Title | Current | OR | Current | XRe | Retrieval | Inventor | | 10 | E | 2 | 8 | |
|---|---|-----|------------------------------|------------|-------|---|--------------|--------------|---------|-----|-----------|----------------------------------|-----------|--------------|-----------------|--------------|-----|-----------------|
| | r | | US 20050081833 A1 } | 20050421 | | Capillary fuel injector with metering valve for an internal combustion engine | 123/549 | ! | | | | Pellizzari, Roberto O. et al. | | i r | . _ | - - | r., | г'г |
| 2 | | ı | US 20040181356 A1 | 20040916 | 6 | Method for controlling a test bench | ,702/113 | - | | _ | | Grunbacher, Engelbert et al. | | | . . : | . _ ! | | . - - |
| 3 | - | ĺ | US 20030178011 A1 | 20030925 | 1 | Capillary fuel injector with metering valve for an internal combustion engine | 123/549 | 1 | 123/557 | | | Pellizzari, Roberto O. et al. | - | - r | - - | | | |
| | | L | | <u> </u> | | [| <u></u> | | | | | | L | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| ्र विस्तास | Ū | 4 | Document ID | Issue Date | Pages | Title | Current OR | Current XRe Retrieval | Inventor | S C P 2 3 |
|----------------|----------|------------|--------------------|----------------|-------|---|------------|--------------------------|--------------------------|--|
| 1 | | | | 20050324 | 18 | Method and device for | 123/568.2 | 123/568.21; 60/605.2 | Moser, Eduard et al. | |
| 7. | | | A1 | 1 | ł | operating an internal combustion engine | | 100/003.2 | 1 | |
| | Г | г | | ! | t | | | | 1 | וא, כי, כי, כ ^ו כי, כי, ו |
| | | | | İ | i | , | | 1 | 1 | ' ' |
| , | | | us | 120050202 | 1501 | Asset system control | 340/825.72 | 280/735: - | Breed, David S. | |
| ۱ ۱ | | | 20050046584 | 20030303 | 301 | arrangement and method | 340/623.72 | 340/5.71; | Breed, David 3. | ,] [] , ! [|
| | p | [| A1 | 1 | i | | Ī | 455/420 | ı | |
| | ٣ | ' ' | İ | I | I | | ! | i i | 1 | יב ב ב ב ב ב ב ב ב ב |
| | | i | 1 | 1 | 1 | 1 | | I | | |
| , | | L | US | 20050127 | | Method for determining an | | T T | Stadler, Wolfgang | |
| | | 1 | 20050021215 .A1 | | 1 | estimated value of a mass flow in the intake | | 1 | | ' ' |
| | Þ | <u></u> | | • | | channel of an internal | | | | احرح حاجرجا |
| | | | 1 | 1 | | combustion engine | İ | 1 | | |
| | | <u>.</u> . | | <u> </u> | 4 | | L | | | |
| | | | US 20050014605 | 20050120 | 18 | Method and device for controlling the drive | 477/71 | | Ries-Mueller, Klaus | |
| | | ı | 'A1 | 1 | 1 | unit of a vehicle | | 1 | | ' ; ; ; ' ; |
| ŀ | R | Ī | | ļ | ì | | | 1 1 | l e | ייייייייייייייייייייייייייייייייייייי |
| | | l | 1 | | | | | ' ' | | ' |
| | | · – | | ! 20010809 | · | Method for regenerating a | 60/285 | _{60/286;} - | Pfleger, Corinna et | + + - |
| | | | 20010011454 | 20010003 | 1 | NOX storage catalytic | 30,203 | 60/295; | al. | |
| | P | 16 | A1 | l | | converter for an internal combustion engine | 1 | 60/301 | 1 | |
| | i.e. | 1 | İ | | | | | 1 İ | 1 | |
| 0 | | ١ | l | | 1 | , | | | 1 | 1 1 1 1 1 1 |
| - 1 | | Ь. | US | 20010531 | | Method and device for | 290/40R | | Frohlich, Johann et | |
| | | | 20010002090 A1 | | | controlling a prime mover | | ı İ | al. | ' ' |
| | ۲ | Ŀ | [| 1 | 1 | | ! ! | | | R C C C C . |
| | | | ! | | | i | | | | |
| | | - | | · | ··· | | | | | |
| | | | US 6807939 | 20041026 | 15 | Control system for protecting an internal | 123/350 | 123/357; 123/480; | Doelker; Armin et al. | |
| | | 1 | 1 | I | 1 | combustion engine from | | 701/110 | | 1_1_1_1 |
| | ₽. | ΙC | İ | | į | overloading | i t | | l | le je je je je ji |
| | | | 1 | | 1 | 1 | | ' | İ | ' ' |
| | | <u>'</u> _ | us 6579206 | .20030617 | 111 - | Coordinated control for a | 1477/43 | | Liu; Sharon et al. | + ' + - ' |
| | | | B2 | | | powertrain with a | | 1 | | |
| | P | ı F | | ı | 1 | continuously variable transmission | 1 | | ı | |
| | | | ł | | | | | | | |
| | | 1 | ! | i | 1 | Ÿ | | 1 | | |
|) | | +- | US 6373144 | 20020416 | 12 | Method and device for | 290/40R | 290/14; 290/17; | Frohlich; Johann et | |
| | | | ¹ B1 | | | controlling a prime mover | | 290/40A; | al. | ' ' |
| | P. | ่ _ | | | į | | | 290/40B; 290/40C | | ן ה' ה' ה' ה' ה' ה' ה' ה |
| | | | ı | | | i | | 1 | | |
| 0 | | T | US 6347513 | 20020219 | 77 | Method for regenerating a | 60/277 | 123/325; | Pfleger; Corinna et | · |
| ' | | 1 | B1 | 20020219 | 1' | NOx storage catalytic | ' | 123/326; | al. | |
| | p | _ | | | 1 | converter for an internal combustion engine | | 60/274; | | |
| | ~ | įI | | 1 | ! | | 1 | 60/295 | I | e tratialis is editalis |
| | | | 1 | | | 1 | | | | |
| 1 | | ` | US 6311670 | 20011106 | 6 . | Method for correcting an | 123/352 | 123/361 | Constancis; Pierre | + + - |
| . 1 | | | B1 | | | internal combustion engine torque jerks | | | | , , |
| 100 | г | įc | 1 | .1 | | cudine cordue lerva | | | 1 | R |
| í | | | i | 1 | | | | i i | | |
| | | 1. | l | | | | L | 1 | | 1_1 <u>1</u> |
| 2 | _ | T | US 6237563 B1 | 20010529 | 8 | Method for controlling an internal combustion | 123/350 | 123/399; | Froehlich; Johann et al. | |
| | | | 151 | | 1 | engine combustion | | 1153/430 | a1. | 1 1 1 |
| | ₽ | <u>'</u> = | | | 1 | | 1 | | | וב ה' ב' בן ב' ב' ו |
| | | | | İ | | • | | : | | |
| .3 | | . — | US 6234139 | 12001 0522 | T31 - | Control system for an | 123/295 | 123/568.21; | Taga; Junichi et al. | - |
| | | 1 | B1 | 20010322 | 131 | engine , | 123/273 | 701/104 | lada, odurent et al. | , ! ! ! , ! ! . |
| | | ۱. | 1 | 1 | 1 | | 1 | 1 | 1 | |
| | " | F | I | 1 | ! | | ! | 1 | 1 | r c c c c c c c c c |
| | | 1 | | 1 | i | 1 | | 1 | 1 | ' ' |
| 4 | - | 1 _ | us 6178943 | 20010130 | 30 - | Control system for an | 123/295 | 123/305; | Taga: Junichi et al. | + - '-' + '-' |
| * | | 1 | B1 | | | engine | | 123/480 | | |
| | P | , E | İ | | | | i | 1 | 1 | اد د د داد د ر |
| | ١. | 1 "" | | • | 1 | • | 1 | ; | 1 | |
| | | | | | | | | | | |

| , | • | | | 1 | ı | 1 | l | , , | | |
|------------|----------|---------------|---------------------|--|--------------------|---|--------------|---|----------------------------|--|
| 15 | P | [| us 6125829 | A 20001003 | 7 | Method of controlling exhaust gas recirculation in an internal combustion engine | 1 | - | Heinitz; Dirk et al | + |
| 16 | 모 | | us 6067799 | A 20000530 | 4 | Method for the closed-loop control of the boost pressure of a turbocharged internal combustion engine | 60/602 | | Heinitz; Dirk et al | |
| 17 | P | c | US 6065446 | A 20000523 | 13 | Method for controlling an internal combustion engine | 123/325 | 123/350; 701/110 | Engl; Maximilian et al. | |
| 18 | E | _ - | US 5992382 | A 19991130 | 10 | Method and apparatus for controlling an internal combustion engine | 123/396 | 123/479 | Bruedigam; Claus et | + |
| 19 | P | + | US 5983859 | A 19991116 | - ₁₀ - | Method for controlling an internal combustion engine | 123/396 | 123/399 | Bruedigam; Claus et | - - - - - - - - - - - - - |
| 20 | P | - - - | us 5372110 | A 19941213 | 7 | Method and device for closed-loop control of the power of an internal combustion engine propelling a motor vehicle | 123/339.21 | 123/361 | Boverie; Serge et | |
| 21 | 모 | | US 4796581 | A 19890110 | | Centrifugal rpm governor for internal combustion engines | 123/373 | 123/364; 411/222; 411/282; 411/333; 411/393; 411/395 | Bruhmann; Werner | |
| _ <u>·</u> | İ | | | a a de la company de la company de la company de la company de la company de la company de la company de la co | | | | | | |

.